

Version Control Basics with Subversion

Le Yan

User Services

HPC @ LSU




What is Version Control

- The purpose of version control is to manage the changes made to the files that belong to a code base
 - Also known as source control or revision control
- Starting from the initial set of files, each subsequent revision or change is marked with a number or letter code, along with the time stamp and the name of the contributor



What is Version Control



Benefits of Version Control

- Make collective code development easier
- Can roll back to older versions of a code base
- Can track bugs, timeline and releases
- Continuous, incremental backup of the code



What is Subversion

- A non-distributed version control system
 - One canonical repository
 - All changes are submitted to the repository
 - All changes are retrieved from the repository
- There are a few others
 - Git
 - Hg Mercurial



What is Repository

- Repository: the place where all changesets are stored
- Common layout:
 - Trunk: the main code version
 - Branches: copied of code that can be modified
 - Tags: snapshots of code that are never changed




How Subversion Works

Server

- The repository is created and maintained by the administrator

Client

- Users check out their local working copy (happens only once) and make and commit changes



Installing Subversion

- Linux and Mac users
 - svn: the command line client tool
 - `svn <command> <options>`
 - svnadmin: admin's tool to create and maintain a repository
 - Chances are they are already there
- Windows users
 - TortoiseSVN
 - Subclipse
 - RapidSVN



Setting Up Repository

- Command line: `svnadmin create`
 - Protocols: local file system, `svn+ssh`, `http/s`
- Online repository hosting services
 - Google project hosting, Github (using git)...

```
[lyan1@lyan1-1 workspace]$ ls -l
total 0
[lyan1@lyan1-1 workspace]$ svnadmin create repos
[lyan1@lyan1-1 workspace]$ ls repos/
conf  dav  db  format  hooks  locks  README.txt
```



Import

- `svn import <path to files>`
`<URL>`: import files into the initial repository

```
[lyan1@lyan1-1 workspace]$ svn import /home/lyan1/code/Solutions
file:///home/lyan1/workspace/repos/ -m "initial import"
Adding          /home/lyan1/code/Solutions/precis.f90
Adding          /home/lyan1/code/Solutions/pi.f90
Adding          /home/lyan1/code/Solutions/laplace_solver.f90

Committed revision 1.
```



Basic User Workflow (1)

- Check out a local working copy (only happens once)
 - `svn co` or `svn checkout`
- Update own working copy from the repository
 - `svn up`
- Make changes to the working copy
 - `svn add`, `svn delete`, `svn copy`, `svn move`



Basic User Workflow (2)

- Examine the changes and undo the change if necessary
 - `svn status`, `svn diff`, `svn revert`
- Resolve conflicts (merge others' changes)
 - `svn resolved`
- Commit the changes
 - `svn commit`
- Display help message
 - `svn help <command>`



Checking Out a Working Copy

- `svn co <URL>`

```
[lyan1@lyan1-1 fortranworkshop]$ ls
[lyan1@lyan1-1 fortranworkshop]$ svn co
file:///home/lyan1/workspace/repos
A   repos/precis.f90
A   repos/pi.f90
A   repos/Pieces
A   repos/Pieces/set_bcs.f90
A   repos/Pieces/params.f90
A   repos/Pieces/main.f90
A   repos/Pieces/modern.f90
A   repos/Pieces/params.mod
A   repos/Pieces/Makefile
A   repos/Pieces/initialize.f90
A   repos/Pieces/laplace.f90
A   repos/laplace_solver.f90
A   repos/save.f90
Checked out revision 1.
```



Revisions

- Revision numbers are global across the whole repository
- A commit creates a snapshot of the entire tree at that revision number
 - No additional space needed for files that are not affected by the revision



Update Working Copy

- `svn up` - updates the local files to match the repository
 - Need to `cd` the working directory (the local directory that you have checked out from the repository)
 - `-r` option: go to a particular older revision
 - `-r <version> <file name>`: get an older revision of certain file



Update Working Copy

- Each updated item occupy a line which starts with a character reporting the action taken
 - “A” – Added
 - “C” – Conflicted
 - “D” – Deleted
 - “G” – Merged without a problem
 - “U” - Updated

```
[lyan1@lyan1-1 repos]$ svn up
D    void.f90
A    another.f90
Updated to revision 7.
```



Making Changes - Add

- `svn add <file name>`
 - Add files, directories and symbolic links to the repository
 - When a directory is added, everything under it will be added as well, unless the `–non-recursive (-N)` option is used



Making Changes - Delete

- `svn delete <file>`
 - Delete files, directories and symbolic links from the repository
 - Files and links will be deleted immediately
 - Directories will be deleted when committing the change



Making Changes – Other Commands

- `svn copy <file1> <file2>`
 - Create a new item as a copy of something else and schedule it for addition
- `svn move <file1> <file2>`
 - equivalent to “`svn copy foo bar; svn delete foo`”
- `svn mkdir foo`
 - equivalent to “`mkdir foo; svn add foo`”



Committing Changes

- `svn commit -m "<log message>"`
 - Sends all changes to the repository
 - Need to provide a log message with the `-m` option

```
[lyan1@lyan1-1 repos]$ svn delete pi.f90
D          pi.f90
[lyan1@lyan1-1 repos]$ touch void.f90
[lyan1@lyan1-1 repos]$ svn add void.f90
A          void.f90
[lyan1@lyan1-1 repos]$ svn ci -m "deleted pi.f90 and added
void.f90"
Deleting          pi.f90
Adding           void.f90
Transmitting file data .
Committed revision 4.
```



Examine Changes - Status

- `svn status`: examine the status of working copy files and directories
 - `-u`: add working revision and server out-of-date information
 - “*” - newer copy on the server
 - `-v`: display full revision information on every item
 - “?” – not under version control
 - “!” – item missing (removed by non-svn commands)

```
[lyan1@lyan1-1 repos]$ svn status -u -v
?                               another_precis.f90
                                7          1 lyan1    precis.f90
M                               7          1 lyan1    laplace_solver.f90
!                               7          1 lyan1    save.f90
                                *          7 lyan1    another.f90
                                7          7 lyan1    .
Status against revision:      9
```



Examine Changes - Diff

- svn diff – examine changes in detail

```
[lyan1@lyan1-1 repos]$ svn diff -r 1:4
Index: pi.f90
=====
--- pi.f90      (revision 1)
+++ pi.f90      (revision 4)
@@ -1,12 +0,0 @@
-program main
- real*8 pi8
- real*4 pi4
- pi8 = 3.14159265358979323846264338327950288d+0
- pi4 = pi8
- print *, 'PI4: ', pi4
- print *, 'PI8: ', pi8
- print 100, pi4
- print 110, pi8
-100 format( e50.40 )
-110 format( d50.40 )
-end program main
Index: void.f90
=====
```



Undo Local Changes

- `svn revert <item>`
 - equivalent to deleting the item from the working copy and running `svn update`
 - Does not have to communicate with the repository to restore a file
 - Cannot restore removed directories



Resolve Conflicts (1)

- When updating
 - U and G are fine
 - C means changes from the server overlapped local changes, and decision has to be made
- For every conflicted file, the original file will be marked for conflicts
 - three un-versioned files will also be in the working copy
 - File.mine: the file as it is in the local working copy
 - File.rOLDREV: the file that was checked out before the latest edits
 - File.rNEWREV: the file received from the server
 - Not commit can be made until those three files are gone



Resolving Conflicts (2)

- To resolve the conflicts, one has to
 - Merge the conflicted text “by hand”
 - Copy one of the temporary files on top of the working file
 - Run `svn revert <file>` to discard all local changes
- Need to run `svn resolved` after resolving the conflict
 - `svn revert` will automatically resolve the conflict



Resolving Conflicts (3)

```
[lyan1@lyan1-1 repos]$ svn ci -m "Edited void.f90"
Sending          void.f90
svn: Commit failed (details follow):
svn: Out of date: 'void.f90' in transaction '5-1'
[lyan1@lyan1-1 repos]$ svn up
C    void.f90
Updated to revision 5.
[lyan1@lyan1-1 repos]$ svn diff
Index: void.f90
=====
--- void.f90      (revision 5)
+++ void.f90      (working copy)
@@ -1,2 +1,7 @@
+<<<<<<< .mine
+program bar
+end program
+=====
   program foo
   end program
+>>>>>>> .r5
[lyan1@lyan1-1 repos]$ ls void.f90*
void.f90  void.f90.mine  void.f90.r4  void.f90.r5
```



Examining History

- Explore the history of revisions as well as the metadata
- `svn log`
 - Shows log messages with date and author information
- `svn diff`
 - Shows line-level details of a particular change
- `svn cat`
 - Displays any file as it exist in a particular revision
- `svn list`
 - Displays the files in a directory for any give revision



Branches

- Branches are parallel to the original line of development
 - Feature-based, release-based etc.
- Create a branch using `svn copy`



Creating a Tag

- A tag is a snapshot of a project
 - Will not be changed, used to mark a milestone in the development, e.g. release
- Tags are created by using `svn copy`



Exercise

- Set up your own repository, or
- The repository hosted by Google Project Hosting: ***https://hpc-workshop.googlecode.com/svn/trunk/***

